Contents

The Journal of Clinical Investigation
July 1988, Volume 82, Number 1

Perspectives

Hypercalcemia of malignancy revisited. *G. R. Mundy* . . 1

Regular Articles

Fixation of penicilloyl groups to albumin and appearance of anti–penicilloyl antibodies in penicillin-treated patients. *P. Lafaye and C. Lapresle* 7

Human corticotropin-releasing factor plus lysine vasopressin test during glucocorticoid therapy. *K. Hashimoto, S. Suemaru, T. Takao, M. Sugawara, T. Hattori, J. Kageyama, K. Takahashi, and Z. Ota* 13

Human recombinant granulocyte-macrophage colony-stimulating factor and interleukin 3 cause basophil histamine release. *M. Haak-Frendscho, N. Arai, K.-i. Arai, M. L. Baeza, A. Finn, and A. P. Kaplan* 17

Relationship between plasma glucose and insulin concentration, glucose production, and glucose disposal in normal subjects and patients with non–insulin-dependent diabetes. *Y.-D. I. Chen, C.-Y. Jeng, C. B. Hollenbeck, M.-S. Wu, and G. M. Reaven* 21

Multiple tissues express alpha$_1$-antitrypsin in transgenic mice and man. *J. A. Carlson, B. B. Rogers, R. N. Sifers, H. K. Hawkins, M. J. Finegold, and S. L. C. Woo* 26

Effects of nonketotic streptozotocin diabetes on apolipoprotein B synthesis and secretion by primary cultures of rat hepatocytes. *J. D. Sparks, C. E. Sparks, M. Bolognino, A. M. Roncone, T. K. Jackson, and J. M. Amatruda* 37

Use of vaccinia virus vectors to study protein processing in human disease. Normal nerve growth factor processing and secretion in cultured fibroblasts from patients with familial dysautonomia. *R. H. Edwards and W. J. Rutter* 44

Direct relationship between mononuclear leukocyte and lung β-adrenergic receptors and apparent reciprocal regulation of extravascular, but not intravascular, α- and β-adrenergic receptors by the sympathochromaffin system in humans. *S. B. Liggett, J. C. Marker, S. D. Shah, C. L. Roper, and P. E. Cryer* 48

Inhibition of cortical collecting tubule chloride transport by organic acids. *K. Matsuzaki, J. B. Stokes, and V. L. Schuster* 57

Evidence that the primary binding site of von Willebrand factor that mediates platelet adhesion on subendothelium is not collagen. *P. G. de Groot, M. Ottenhof-Rovers, J. A. van Mourik, and J. J. Sixma* 65

Mechanism of lipid mobilization by the small intestine after transport blockade. *J. Halpern, P. Tso, and C. M. Mansbach II* 74

Bile acid synthesis in man. In vivo activity of the 25-hydroxylation pathway. *W. C. Duane, P. A. Pooler, and J. N. Hamilton* 82

Correlation of contractile dysfunction with oxidative energy production and tissue high energy phosphate stores during partial coronary flow disruption in rabbit heart. *R. C. Marshall* 86

Molecular characterization of human Ro/SS-A antigen. Amino terminal sequence of the protein moiety of human Ro/SS-A antigen and immunological activity of a corresponding synthetic peptide. *T.-S. Lieu, M. M. Newkirk, J. D. Capra, and R. D. Sontheimer* 96

Role of cerebrospinal fluid pleocytosis and *Haemophilus influenzae* type b capsule on blood brain barrier permeability during experimental meningitis in the rat. *A. J. Lesse, E. R. Moxon, A. Zwahlen, and W. M. Scheld* 102

Effects of corticotropin-releasing hormone and dexamethasone on proopiomelanocortin messenger RNA level in human corticotroph adenoma cells in vitro. *T. Suda, F. Tozawa, M. Yamada, T. Ushiyama, N. Tomori, T. Sumitomo, Y. Nakagami, H. Demura, and K. Shizume* 110

Cell cycle–dependent interleukin 1 gene expression by cultured glomerular mesangial cells. *D. H. Lovett and A. Larsen* 115

Localization of the binding regions of a murine monoclonal anti–Factor VIII antibody and a human anti–Factor VIII alloantibody, both of which inhibit Factor VIII procoagulant activity, to amino acid residues threonine^{351}–serine^{365} of the Factor VIII heavy chain. *P. A. Foster, C. A. Fulcher, R. A. Houghten, S. de Graaf Mahoney, and T. S. Zimmerman* 123

In vivo administration of lymphocyte-specific monoclonal antibodies in nonhuman primates. IV. Cytotoxic effect of an anti-T11-gelonin immunotoxin. *K. A. Reimann, V. S. Goldmacher, J. M. Lambert, L. V. Chalifoux, S. B. Cook, S. F. Schlossman, and N. L. Letvin* 129

Nonsense mutation causing steroid 21-hydroxylase deficiency. *H. Globerman, M. Amor, K. L. Parker, M. I. New, and P. C. White* 139

Detection and characterization of human serum antibodies to polycyclic aromatic hydrocarbon diol-epoxide DNA adducts. *M. J. Newman, B. A. Light, A. Weston, D. Tollurud, J. L. Clark, D. L. Mann, J. P. Blackmon, and C. C. Harris* 145

Erythropoietin messenger RNA levels in developing mice and transfer of ^{125}I-erythropoietin by the placenta. *M. J. Koury, M. C. Bondurant, S. E. Graber, and S. T. Sawyer* 154

Subset of natural killer cells is induced by immune complexes to display Fc receptors for IgE and IgA and demonstrates isotype regulatory function. *H. Kimata and A. Saxon* 160

Calcium dependency of prostaglandin E_2 production in rat glomerular mesangial cells. Evidence that protein kinase C modulates the Ca^{2+}-dependent activation of phospholipase A_2. *J. V. Bonventre and M. Swidler* 168

Immunohistochemical localization of apolipoprotein E in human glial neoplasms. *M. Murakami, Y. Ushio, Y. Morino, T. Ohta, and Y. Matsukado* 177

Increase of the 40,000-mol wt pertussis toxin substrate (G protein) in the failing human heart. *A. M. Feldman, A. E. Cates, W. B. Veazey, R. E. Hershberger, M. R. Bristow, K. L. Baughman, W. A. Baumgartner, and C. Van Dop* . . . 189

Effect of β-hydroxybutyrate on whole-body leucine kinetics and fractional mixed skeletal muscle protein synthesis in humans. *K. S. Nair, S. L. Welle, D. Halliday, and R. G. Campbell* 198

Factor VIII–bypassing activity of bovine tissue factor using the canine hemophilic model. *D. P. O'Brien, A. R. Giles, K. M. Tate, and G. A. Vehar* 206

Demonstration of reduced mitogenic and osteoinductive activities in demineralized allogeneic bone matrix from vitamin D–deficient rats. *R. T. Turner, J. Farley, J. J. Vandersteenhoven, S. Epstein, N. H. Bell, and D. J. Baylink* 212

Evidence for in vivo upregulation of the intestinal vitamin D receptor during dietary calcium restriction in the rat. *M. J. Favus, D. J. Mangelsdorf, V. Tembe, B. J. Coe, and M. R. Haussler* 218

Relationship between ionic perturbations and electrophysiologic changes in a canine Purkinje fiber model of ischemia and reperfusion. *R. Yee, K. K. Brown, D. E. Bolster, and H. C. Strauss* 225

Basolateral membrane $H/OH/HCO_3$ transport in the rat cortical thick ascending limb. Evidence for an electrogenic Na/HCO_3 cotransporter in parallel with a Na/H antiporter. *R. Krapf* 234

Multiple components of the A_1 adenosine receptor-adenylate cyclase system are regulated in rat cerebral cortex by chronic caffeine ingestion. *V. Ramkumar, J. R. Bumgarner, K. A. Jacobson, and G. L. Stiles* 242

Cell-to-cell communication within intact human skin. *D. Salomon, J.-H. Saurat, and P. Meda* 248

Hemopoietic colony growth-promoting activities in the plasma of bone marrow transplant recipients. *K. Yamasaki, L. A. Solberg, Jr., N. Jamal, G. Lockwood, D. Tritchler, J. E. Curtis, M. M. Minden, K. G. Mann, and H. A. Messner* 255

Isolation and characterization of expression cDNA clones encoding antigens of *Onchocerca volvulus* infective larvae. *T. R. Unnasch, M. Y. Gallin, P. T. Soboslay, K. D. Erttmann, and B. M. Greene* 262

Human growth hormone gene and the highly homologous growth hormone variant gene display different splicing patterns. *N. E. Cooke, J. Ray, M. A. Watson, P. A. Estes, B. A. Kuo, and S. A. Liebhaber* 270

Abnormality of calmodulin activity in hypertension. Evidence of the presence of an activator. *S.-L. Huang, Y. I. Wen, D. B. Kupranycz, S. C. Pang, G. Schlager, P. Hamet, and J. Tremblay* 276

Diurnal changes in sympathetic activity. Relation to food intake and to insulin injected into the ventromedial or suprachiasmatic nucleus. *T. Sakaguchi, M. Takahashi, and G. A. Bray* 282

Characterization and gestational regulation of corticotropin-releasing hormone messenger RNA in human placenta. *D. M. Frim, R. L. Emanuel, B. G. Robinson, C. M. Smas, G. K. Adler, and J. A. Majzoub* 287

Effects of nonesterified fatty acid availability on tissue-specific glucose utilization in rats in vivo. *A. B. Jenkins, L. H. Storlien, D. J. Chisholm, and E. W. Kraegen* . . . 293

Rat intestinal apolipoprotein B gene expression. Evidence for integrated regulation by bile salt, fatty acid, and phospholipid flux. *N. O. Davidson, M. J. Drewek, J. I. Gordon, and J. Elovson* 300

Erythropoietin stimulates a rise in intracellular free calcium concentration in single early human erythroid precursors. *B. A. Miller, R. C. Scaduto, Jr., D. L. Tillotson, J. J. Botti, and J. Y. Cheung* 309

Expression of novel interleukin 2 binding molecules and their functional roles in human B cell differentiation. *T. Tanaka, O. Saiki, S. Doi, M. Suemura, S. Negoro, and S. Kishimoto* 316

Serial micropuncture analysis of glomerular function in two rat models of glomerular sclerosis. *A. Fogo, Y. Yoshida, A. D. Glick, T. Homma, and I. Ichikawa* . . . 322

Transferrin synthesis by small cell lung cancer cells acts as an autocrine regulator of cellular proliferation. *M. Vostrejs, P. L. Moran, and P. A. Seligman* 331

Syndrome of apparent mineralocorticoid excess. A defect in the cortisol–cortisone shuttle. *P. M. Stewart, J. E. T. Corrie, C. H. L. Shackleton, and C. R. W. Edwards* . . . 340

Rapid Publications

The order of islet microvascular cellular perfusion is B → A → D in the perfused rat pancreas. *E. Samols, J. I. Stagner, R. B. L. Ewart, and V. Marks* 350

Insulin-like growth factor-I can mediate autocrine proliferation of human small cell lung cancer cell lines in vitro. *Y. Nakanishi, J. L. Mulshine, P. G. Kasprzyk, R. B. Natale, R. Maneckjee, I. Avis, A. M. Treston, A. F. Gazdar, J. D. Minna, and F. Cuttitta* 354

Identification of the C5a des Arg cochemotaxin. Homology with vitamin D-binding protein (group-specific component globulin). *H. D. Perez, E. Kelly, D. Chenoweth, and F. Elfman* 360

Gc-globulin (vitamin D-binding protein) enhances the neutrophil chemotactic activity of C5a and C5a des Arg. *R. R. Kew and R. O. Webster* 364

HLA-DR (Ia) immune phenotype predicts outcome for patients with diffuse large cell lymphoma. *T. P. Miller, S. M. Lippman, C. M. Spier, D. J. Slymen, and T. M. Grogan* 370

July Author Index 373

Contents

The Journal of Clinical Investigation
August 1988, Volume 82, Number 2

Presidential Address 375

Regular Articles

Characterization of the fetal glucose transporter in rabbit kidney. Comparison with the adult brush border electrogenic Na^+-glucose symporter. *J. C. Beck, M. S. Lipkowitz, and R. G. Abramson* 379

Atrial natriuretic factor reduces cyclic adenosine monophosphate content of human fibroblasts by enhancing phosphodiesterase activity. *M. A. Lee, R. E. West, Jr., and J. Moss* 388

Modulation of erythrocyte membrane material properties by Ca^{2+} and calmodulin. Implications for their role in regulation of skeletal protein interactions. *Y. Takakuwa and N. Mohandas* 394

Acute renal failure with selective medullary injury in the rat. *S. N. Heyman, M. Brezis, C. A. Reubinoff, Z. Greenfeld, C. Lechene, F. H. Epstein, and S. Rosen* . . . 401

Cardiac and peripheral circulatory responses to angiotension and vasopressin in dogs. *R. W. Lee, S. Standaert, L. D. Lancaster, D. Buckley, and S. Goldman* 413

Identification of a high-affinity receptor for interleukin 1α and interleukin 1β on cultured human rheumatoid synovial cells. *J. Chin, E. Rupp, P. M. Cameron, K. L. MacNaul, P. A. Lotke, M. J. Tocci, J. A. Schmidt, and E. K. Bayne* 420

Synthesis of hydroxyeicosatetraenoic acids and leukotrienes in rat nephrotoxic serum glomerulonephritis. Role of anti–glomerular basement membrane antibody dose, complement, and neutrophiles. *E. A. Lianos* . . . 427

Modest decrements in plasma glucose concentration cause early impairment in cognitive function and later activation of glucose counterregulation in the absence of hypoglycemic symptoms in normal man. *P. De Feo, V. Gallai, G. Mazzotta, G. Crispino, E. Torlone, G. Perriello, M. M. Ventura, F. Santeusanio, P. Brunetti, and G. B. Bolli* 436

Direct muscarinic cholinergic inhibition of hepatic glucose production in humans. *P. J. Boyle, S. B. Liggett, S. D. Shah, and P. E. Cryer* 445

Collagen measured in primary cultures of normal rat hepatocytes derives from lipocytes within the monolayer. *J. J. Maher, D. M. Bissell, S. L. Friedman, and F. J. Roll* 450

Synthesis of stress proteins in rat cardiac myocytes 2–4 days after imposition of hemodynamic overload. *C. Delcayre, J.-L. Samuel, F. Marotte, M. Best-Belpomme, J. J. Mercadier, and L. Rappaport* 460

Idiotypic and subgroup analysis of human monoclonal rheumatoid factors. Implications for structural and genetic basis of autoantibodies in humans. *G. J. Silverman, R. D. Goldfien, P. Chen, R. A. Mageed, R. Jefferis, F. Goñi, B. Frangione, S. Fong, and D. A. Carson* 469

Demonstration of free radical generation in "stunned" myocardium of intact dogs with the use of the spin trap α-phenyl *N*-*tert*-butyl nitrone. *R. Bolli, B. S. Patel, M. O. Jeroudi, E. K. Lai, and P. B. McCay* 476

An in vitro human muscle preparation suitable for metabolic studies. Decreased insulin stimulation of glucose transport in muscle from morbidly obese and diabetic subjects. *G. L. Dohm, E. B. Tapscott, W. J. Pories, D. J. Dabbs, E. G. Flickinger, D. Meelheim, T. Fushiki, S. M. Atkinson, C. W. Elton, and J. F. Caro* 486

Up-regulation of the iC3b receptor (CR3) is neither necessary nor sufficient to promote neutrophil aggregation. *M. R. Philips, J. P. Buyon, R. Winchester, G. Weissmann, and S. B. Abramson* 495

Restriction fragment length polymorphism studies show consistent loss of chromosome 3p alleles in small cell lung cancer patients' tumors. *B. E. Johnson, A. Y. Sakaguchi, A. F. Gazdar, J. D. Minna, D. Burch, A. Marshall, and S. L. Naylor* 502

Desialation of transferrin by rat liver endothelium. *S. Irie, T. Kishimoto, and M. Tavassoli* 508

Mechanism of action of *Escherichia coli* heat stable enterotoxin in a human colonic cell line. *P. A. Huott, W. Liu, J. A. McRoberts, R. A. Giannella, and K. Dharmsathaphorn* 514

Molecular cloning and characterization of human cardiac α- and β-form myosin heavy chain complementary DNA clones. Regulation of expression during development and pressure overload in human atrium. *M. Kurabayashi, H. Tsuchimochi, I. Komuro, F. Takaku, and Y. Yazaki* . . . 524

Smooth muscle calcium and endothelium-derived relaxing factor in the abnormal vascular responses of acute renal failure. *J. D. Conger, J. B. Robinette, and R. W. Schrier* 532

Calcitonin gene-related peptide is a stimulator of renin secretion. *A. Kurtz, R. Muff, W. Born, J. M. Lundberg, B.-I. Millberg, M. P. Gnädinger, D. E. Uehlinger, P. Weidmann, T. Hökfelt, and J. A. Fischer* 538

Mechanism of decreased forward stroke volume in children and swine with ventricular septal defect and failure to thrive. *W. J. Corin, M. M. Swindle, J. F. Spann, Jr., K. Nakano, M. Frankis, R. W. W. Biederman, A. Smith, A. Taylor, and B. A. Carabello* 544

Microbicidal/cytotoxic proteins of neutrophils are deficient in two disorders: Chediak-Higashi syndrome and "specific" granule deficiency. *T. Ganz, J. A. Metcalf, J. I. Gallin, L. A. Boxer, and R. I. Lehrer* 552

New amber mutation in a β-thalassemic gene with nonmeasurable levels of mutant messenger RNA in vivo. *G. F. Atweh, H. E. Brickner, X.-X. Zhu, H. H. Kazazian, Jr., and B. G. Forget* 557

Dependence of metabolic and structural heterogeneity of cholesterol ester–rich very low density lipoproteins on the duration of cholesterol feeding in rabbits. *A. Daugherty, K. Oida, B. E. Sobel, and G. Schonfeld* 562

Defect in the membrane expression of high affinity 72-kD Fc γ receptors on phagocytic cells in four healthy subjects. *J. L. Ceuppens, M. L. Baroja, F. Van Vaeck, and C. L. Anderson* 571

The addition of endothelial cell growth factor and heparin to human umbilical vein endothelial cell cultures decreases plasminogen activator inhibitor-1 expression. *B. A. Konkle and D. Ginsburg* 579

Release of carcinoembryonic antigen from human colon cancer cells by phosphatidylinositol-specific phospholipase *C. T. L. Sack, J. R. Gum, M. G. Low, and Y. S. Kim* . . 586

Complement induces a transient increase in membrane permeability in unlysed erythrocytes. *J. A. Halperin, A. Nicholson-Weller, C. Brugnara, and D. C. Tosteson* . . . 594

Angiotensin II stimulation of hydrogen ion secretion in the rat early proximal tubule. Modes of action, mechanism, and kinetics. *F.-Y. Liu and M. G. Cogan* 601

Inhibition of glutathione efflux in the perfused rat liver and isolated hepatocytes by organic anions and bilirubin. Kinetics, sidedness, and molecular forms. *M. Ookhtens, I. Lyon, J. Fernandez-Checa, and N. Kaplowitz* 608

Decreased membrane mechanical stability and in vivo loss of surface area reflect spectrin deficiencies in hereditary spherocytosis. *J. A. Chasis, P. Agre, and N. Mohandas* . . 617

Administration of an aldose reductase inhibitor induces a decrease of collagen fluorescence in diabetic rats. *G. Suárez, R. Rajaram, K. C. Bhuyan, A. L. Oronsky, and J. A. Goidl* 624

Pre-β-very low density lipoproteins as precursors of β-very low density lipoproteins. A model for the pathogenesis of familial dysbetalipoproteinemia (type III hyperlipoproteinemia). *D. A. Chappell* 628

Neutrophil and monocyte cell surface p150,95 has iC3b-receptor (CR_4) activity resembling CR_3. *B. L. Myones, J. G. Dalzell, N. Hogg, and G. D. Ross* 640

Natural murine autoantibodies and conventional antibodies exhibit similar degrees of antigenic cross-reactivity. *D. M. Klinman, S. Banks, A. Hartman, and A. D. Steinberg* 652

Demonstration by in situ hybridization of the zonal modulation of rat liver cytochrome P-450b and P-450e gene expression after phenobarbital. *E. Wojcik, C. Dvorak, J. Chianale, P. G. Traber, D. Keren, and J. J. Gumucio* 658

Sucrase-isomaltase deficiency in humans. Different mutations disrupt intracellular transport, processing, and function of an intestinal brush border enzyme. *H. Y. Naim, J. Roth, E. Sterchi, M. Lentze, P. Milla, J. Schmitz, and H.-P. Hauri* 667

Transforming growth factor beta inhibits bone resorption in fetal rat long bone cultures. *J. Pfeilschifter, S. M. Seyedin, and G. R. Mundy* 680

Chromogranin A expression in normal and malignant human tissues. *L. J. Helman, A. F. Gazdar, J.-G. Park, P. S. Cohen, J. D. Cotelingam, and M. A. Israel* 686

Divergent mechanisms for the insulin resistant and hyperresponsive glucose transport in adipose cells from fasted and refed rats. Alterations in both glucose transporter number and intrinsic activity. *B. B. Kahn, I. A. Simpson, and S. W. Cushman* 691

A common neoepitope is created when the reactive center of C1-inhibitor is cleaved by plasma kallikrein, activated Factor XII fragment, C1 esterase, or neutrophil elastase. *A. de Agostini, P. A. Patston, V. Marottoli, S. Carrel, P. C. Harpel, and M. Schapira* 700

Cleavage and inactivation of α_1-antitrypsin by metalloproteinases released from neutrophils. *M. C. M. Vissers, P. M. George, I. C. Bathurst, S. O. Brennan, and C. C. Winterbourn* 706

Reduction of atherosclerosis by administration of dehydroepiandrosterone. A study in the hypercholesterolemic New Zealand white rabbit with aortic intimal injury. *G. B. Gordon, D. E. Bush, and H. F. Weisman* 712

Site and mechanism of action of trichlormethiazide in rabbit distal nephron segments perfused in vitro. *T. Shimizu, K. Yoshitomi, M. Nakamura, and M. Imai* . . 721

Rapid Publications

Developmental changes in the superoxide dismutase activity of human skin fibroblasts are maintained in vitro and are not caused by oxygen. *R. G. Allen and A. K. Balin* 731

Increased expression of basement membrane components in human endothelial cells cultured in high glucose. *E. Cagliero, M. Maiello, D. Boeri, S. Roy, and M. Lorenzi* 735

Enzymatic amplification of platelet-specific messenger RNA using the polymerase chain reaction. *P. J. Newman, J. Gorski, G. C. White II, S. Gidwitz, C. J. Cretney, and R. H. Aster* 739

August Author Index 744

Contents

The Journal of Clinical Investigation
September 1988, Volume 82, Number 3

Perspectives

Growth hormone, 1988. *M. O. Thorner and M. L. Vance* 745

Regular Articles

Binding specificity of antiiodiotypic autoantibodies to anti-DNA antibodies in humans. *T. Sasaki, T. Muryoi, O. Takai, E. Tamate, H. Saito, and K. Yoshinaga* 748

Predominant expression of circulating CD3+ lymphocytes bearing gamma T cell receptor in a prolonged immunodeficiency after allogeneic bone marrow transplantation. *E. Vilmer, P. Guglielmi, V. David, G. Leca, C. Rabian, L. Degos, M. Boiron, and A. Bensussan* . 755

Plasma clearance of human extracellular-superoxide dismutase C in rabbits. *K. Karlsson and S. L. Marklund* 762

Multiple feedback regulatory loops upon rat hypothalamic corticotropin-releasing hormone secretion. Potential clinical implications. *A. E. Calogero, W. T. Gallucci, P. W. Gold, and G. P. Chrousos* 767

Spontaneous expression of the interleukin 2 receptor gene and presence of functional interleukin 2 receptors on T lymphocytes in the blood of individuals with active pulmonary sarcoidosis. *K. Konishi, D. R. Moller, C. Saltini, M. Kirby, and R. G. Crystal* 775

Relationship between unusual hepatic acyl coenzyme A profiles and the pathogenesis of Reye syndrome. *B. E. Corkey, D. E. Hale, M. C. Glennon, R. I. Kelley, P. M. Coates, L. Kilpatrick, and C. A. Stanley* 782

Inhibition of tumor cell glutamine uptake by isolated neutrophils. *D. B. Learn and E. L. Thomas* 789

Catabolic rate of low density lipoprotein is influenced by variation in the apolipoprotein B gene. *T. Demant, R. S. Houlston, M. J. Caslake, J. J. Series, J. Shepherd, C. J. Packard, and S. E. Humphries* 797

Serum prostacyclin stabilizing factor is identical to apolipoprotein A-I (apo A-I). A novel function of apo A-I. *Y. Yui, T. Aoyama, H. Morishita, M. Takahashi, Y. Takatsu, and C. Kawai* 803

Transcriptional activation and DNase I hypersensitive sites are associated with selective expression of the gastrin-releasing peptide gene. *S. Markowitz, G. Krystal, A.-M. Lebacq-Verheyden, J. Way, E. A. Sausville, and J. Battey* 808

Low-molecular weight C1q-binding immunoglobulin G in patients with systemic lupus erythematosus consists of autoantibodies to the collagen-like region of C1q. *S. Uwatoko and M. Mannik* 816

Urushiol (poison ivy)-triggered suppressor T cell clone generated from peripheral blood. *R. S. Kalish and C. Morimoto* 825

Mixed venous blood gases are superior to arterial blood gases in assessing acid-base status and oxygenation during acute cardiac tamponade in dogs. *D. W. Mathias, Jr., S. Clifford, and H. S. Klopfenstein* 833

Catecholamine effects upon rat hypothalamic corticotropin-releasing hormone secretion in vitro. *A. E. Calogero, W. T. Gallucci, G. P. Chrousos, and P. W. Gold* 839

Inference of a molecular defect of apolipoprotein B in hypobetalipoproteinemia by linkage analysis in a large kindred. *M. Leppert, J. L. Breslow, L. Wu, S. Hasstedt, P. O'Connell, M. Lathrop, R. R. Williams, R. White, and J.-M. Lalouel* 847

Immunoglobin κ light chain variable region gene complex organization and immunoglobin genes encoding anti-DNA autoantibodies in lupus mice. *R. Kofler, R. Strohal, R. S. Balderas, M. E. Johnson, D. J. Noonan, M. A. Duchosal, F. J. Dixon, and A. N. Theofilopoulos* 852

Effects of active vitamin D_3 and parathyroid hormone on the serum osteocalcin in idiopathic hypoparathyroidism and pseudohypoparathyroidism. *K. Mizunashi, Y. Furukawa, R. Miura, S. Yumita, H. E. Sohn, and K. Yoshinaga* 861

Evidence for conductive Cl^- pathways across the cell membranes of the thin ascending limb of Henle's loop. *K. Yoshitomi, Y. Kondo, and M. Imai* 866

Functional characterization of macrophage receptors for in vitro phagocytosis of unopsonized *Pseudomonas aeruginosa*. *D. P. Speert, S. D. Wright, S. C. Silverstein, and B. Mah* 872

Relative roles of follicle-stimulating hormone and luteinizing hormone in the control of inhibin secretion in normal men. *R. I. McLachlan, A. M. Matsumoto, H. G. Burger, D. M. de Kretser, and W. J. Bremner* 880

Role of central alpha-1 adrenoceptors in canine narcolepsy. *E. Mignot, C. Guilleminault, S. Bowersox, A. Rappaport, and W. C. Dement* 885

Effect of dietary manipulations (fasting, hypocaloric feeding, and subsequent refeeding) on rat muscle energetics as assessed by nuclear magnetic resonance spectroscopy. *C. Pichard, C. Vaughan, R. Struk, R. L. Armstrong, and K. N. Jeejeebhoy* 895

Synthesis of immunglobulin G by pokeweed mitogen- or Epstein-Barr virus-stimulated human B cells in vitro is restricted to the ecto-5'-nucleotidase postive subset. *L. F. Thompson and J. M. Ruedi* 902

Minor histocompatibility antigen H-Y is expressed on human hematopoietic progenitor cells. *P. J. Voogt, E. Goulmy, W. E. Fibbe, W. F. J. Veenhof, A. Brand, and J. H. F. Falkenburg* 906

γ-Interferon restores listericidal activity and concurrently enhances release of reactive oxygen metabolites in dexamethasone-treated human monocytes. *A. Schaffner and P. Rellstab* 913

Acidosis during early reperfusion prevents myocardial stunning in perfused ferret hearts. *M. Kitakaze, M. L. Weisfeldt, and E. Marban* 920

Oleate uptake by cardiac myocytes is carrier mediated and involves a 40-kD plasma membrane fatty acid binding protein similar to that in liver, adipose tissue, and gut. *D. Sorrentino, D. Stump, B. J. Potter, R. B. Robinson, R. White, C.-L. Kiang, and P. D. Berk* 928

Evidence for immunoglobulin Fc receptor-mediated prostaglandin$_2$ and platelet-activating factor formation by cultured rat mesangial cells. *R. Neuwirth, P. Singhal, B. Diamond, R. M. Hays, L. Lobmeyer, K. Clay, and D. Schlondorff* 936

C1q enhancement of antibody-dependent granulocyte-mediated killing of nonphagocytosable targets in vitro. *A. Hamada, J. Young, R. A. Chmielewski, and B. M. Greene* 945

Structural and functional characterization of the human T lymphocyte receptor for insulin-like growth factor I in vitro. *V. F. Tapson, M. Boni-Schnetzler, P. F. Pilch, D. M. Center, and J. S. Berman* 950

Spontaneous reversal of acquired autoimmune dysfibrinogenemia probably due to an antiidiotypic antibody directed to an interspecies cross-reactive idiotype expressed on antifibrinogen antibodies. *A. Ruiz-Arguelles* 958

Modulation of human platelet protein kinase C by endotoxic lipid A. *J. Grabarek, S. Timmons, and J. Hawiger* 964

Cycle length dependence of human action potential duration in vivo. Effects of single extrastimuli, sudden sustained rate acceleration and deceleration, and different steady-state frequencies. *M. R. Franz, C. D. Swerdlow, L. B. Liem, and J. Schaefer* 972

Oxypurine cycle in human erythrocytes regulated by pH, inorganic phosphate, and oxygen. *P. A. Berman, D. A. Black, L. Human, and E. H. Harley* 980

In vitro mutagenesis of HLA-B27. Substitution of an unpaired cysteine residue in the α_1 domain causes loss of antibody-defined epitopes. *J. D. Taurog and F. A. K. El-Zaatari* 987

Hypotensive effect of taurine. Possible involvement of the sympathetic nervous system and endogenous opiates. *T. Fujita and Y. Sato* 993

Analysis of renal fibrosis in a rabbit model of crescentic nephritis. *G. Downer, S. H. Phan, and R. C. Wiggins* . . 998

Presence of renin secretory granules in rat adrenal gland and stimulation of renin secretion by angiotensin II but not by adrenocorticotropin. *K. Mizuno, L. H. Hoffman, J. C. McKenzie, and T. Inagami* 1007

Characterization of a human hematopoietic progenitor cell capable of forming blast cell containing colonies in vitro. *J. Brandt, N. Baird, L. Lu, E. Srour, and R. Hoffman* . . 1017

Evidence for glomerular actions of epidermal growth factor in the rat. *R. C. Harris, R. L. Hoover, H. R. Jacobson, and K. F. Badr* 1028

Oxidant-induced DNA damage of target cells. *I. Schraufstätter, P. A. Hyslop, J. H. Jackson, and C. G. Cochrane* 1040

Membrane protein lesions in erythrocytes with Heinz bodies. *O. S. Platt and J. F. Falcone* 1051

Reciprocal regulation of antral gastrin and somatostatin gene expression by omeprazole-induced achlorhydria. *S. J. Brand and D. Stone* 1059

Atrial natriuretic peptides inhibit conductive sodium uptake by rabbit inner medullary collecting duct cells. *M. L. Zeidel, D. Kikeri, P. Silva, M. Burrowes, and B. M. Brenner* 1067

Purified monocyte-derived angiogenic substance (angiotropin) induces controlled angiogenesis associated with regulated tissue proliferation in rabbit skin. *M. Höckel, W. Jung, P. Vaupel, H. Rabes, C. Khaledpour, and J. H. Wissler* 1075

Regulation of the rabbit ileal brush-border Na^+/H^+ exchanger by an ATP-requiring Ca^{++}/calmodulin–mediated process. *R. P. Rood, E. Emmer, J. Wesolek, J. McCullen, Z. Husain, M. E. Cohen, R. S. Braithwaite, H. Murer, G. W. G. Sharp, and M. Donowitz* 1091

Importance of adenosine triphosphate in phospholipase A_2-induced rabbit renal proximal tubule cell injury. *V. D. Nguyen, D. A. Cieslinski, and H. D. Humes* 1098

Relationship between lipoprotein lipase activity and plasma sex steroid levels in obese women. *P.-H. Iverius and J. D. Brunzell* 1106

Carrier-mediated translocation of uridine diphosphate glucose into the lumen of endoplasmic reticulum-derived vesicles from rat liver. *F. Vanstapel and N. Blanckaert* . . 1113

Rapid Publications

In situ analysis of pancreatic islets in rats developing diabetes. Appearance of nonendocrine cells with surface MHC class II antigens and cytoplasmic insulin immunoreactivity. *P. A. In't Veld and D. G. Pipeleers* . . 1123

Effect of human β^s-globin chains on cellular properties of red cells from β-thalassemic mice. *E. M. Rubin, Y. W. Kan, and N. Mohandas* 1129

Platelet-derived growth factor mRNA detection in human atherosclerotic plaques by in situ hybridization. *J. N. Wilcox, K. M. Smith, L. T. Williams, S. M. Schwartz, and D. Gordon* 1134

Thyroid-stimulating hormone and insulin-like growth factor-1 synergize to elevate 1,2-diacylglycerol in rat thyroid cells. Stimulation of DNA synthesis via interaction between lipid and adenylyl cyclase signal transduction systems. *L. Brenner-Gati, K. A. Berg, and M. C. Gershengorn* 1144

September Author Index 1149

Contents

The Journal of Clinical Investigation
October 1988, Volume 82, Number 4

Perspectives

The insulin receptor and the molecular mechanism of insulin action. *C. R. Kahn and M. F. White* 1151

Regular Articles

Expression of platelet-derived growth factor (PDGF)-related transcripts and synthesis of biologically active PDGF-like proteins by human malignant epithelial cell lines. *E. Sariban, N. M. Sitaras, H. N. Antoniades, D. W. Kufe, and P. Pantazis* 1157

Calcium/calmodulin-mediated action of calcitonin on lipid metabolism in rats. *Y. Nishizawa, Y. Okui, M. Inaba, S. Okuno, K. Yukioka, T. Miki, Y. Watanabe, and H. Morii* 1165

Immunoperoxidase localization of bile salts in rat liver cells. Evidence for a role of the Golgi apparatus in bile salt transport. *Y. Lamri, A. Roda, M. Dumont, G. Feldmann, and S. Erlinger* 1173

Bias toward use of a specific T cell receptor β-chain variable region in a subgroup of individuals with sarcoidosis. *D. R. Moller, K. Konishi, M. Kirby, B. Balbi, and R. G. Crystal* 1182

Studies on the molecular mechanisms of human Fc receptor-mediated phagocytosis. Amplification of ingestion is dependent on the generation of reactive oxygen metabolites and is deficient in polymorphonuclear leukocytes from patients with chronic granulomatous disease. *H. D. Gresham, J. A. McGarr, P. G. Shackelford, and E. J. Brown* 1192

Serum thymulin in human zinc deficiency. *A. S. Prasad, S. Meftah, J. Abdallah, J. Kaplan, G. J. Brewer, J. F. Bach, and M. Dardenne* 1202

Cultured human endothelial cells stimulated with cytokines or endotoxin produce an inhibitor of leukocyte adhesion. *M. E. Wheeler, F. W. Luscinskas, M. P. Bevilacqua, and M. A. Gimbrone, Jr.* 1211

Interleukin 1 stimulates its own receptor expression on human fibroblasts through the endogenous production of prostaglandin(s). *T. Akahoshi, J. J. Oppenheim, and K. Matsushima* 1219

Platelets mediate neutrophil-dependent immune complex nephritis in the rat. *R. J. Johnson, C. E. Alpers, P. Pritzl, M. Schulze, P. Baker, C. Pruchno, and W. G. Couser* 1225

Inactivation of human Factor VIII by activated protein C. Cofactor activity of protein S and protective effect of von Willebrand factor. *J. A. Koedam, J. C. M. Meijers, J. J. Sixma, and B. N. Bouma* 1236

Gamma heavy chain disease in man. Genomic sequence reveals two noncontiguous deletions in a single gene. *A. Alexander, I. Anicito, and J. Buxbaum* 1244

Glomerular macrophages express augmented procoagulant activity in experimental fibrin-related glomerulonephritis in rabbits. *P. G. Tipping, M. G. Lowe, and S. R. Holdsworth* 1253

Alveolar fluid neutrophil elastase activity in the adult respiratory distress syndrome is complexed to alpha-2-macroglobulin. *M. D. Wewers, D. J. Herzyk, and J. E. Gadek* 1260

Bone turnover in postmenopausal osteoporosis. Effect of calcitonin treatment. *R. Civitelli, S. Gonnelli, F. Zacchei, S. Bigazzi, A. Vattimo, L. V. Avioli, and C. Gennari* . . 1268

Gene for the rat atrial natriuretic peptide is regulated by glucocorticoids in vitro. *D. G. Gardner, B. J. Gertz, C. F. Deschepper, and D. Y. Kim* 1275

Human recombinant granulocyte-macrophage colony stimulating factor and interleukin 3 have overlapping but distinct hematopoietic activities. *S. G. Emerson, Y.-C. Yang, S. C. Clark, and M. W. Long* 1282

Defective expression of the 2H4 molecule after autologous mixed lymphocyte reaction activation in systemic lupus erythematosus patients. *T. Takeuchi, S. Tanaka, A. D. Steinberg, T. Matsuyama, J. Daley, S. F. Schlossman, and C. Morimoto* 1288

A juxta-membrane epitope on the human acetylcholine receptor recognized by T cells in myasthenia gravis. *G. C. Harcourt, N. Sommer, J. Rothbard, H. N. A. Willcox, and J. Newsom-Davis* 1295

Sympathetic nerve discharge is coupled to muscle cell pH during exercise in humans. *R. G. Victor, L. A. Bertocci, S. L. Pryor, and R. L. Nunnally* 1301

Kappa/lambda immunoglobulin distribution in Graves' thyroid-stimulating antibodies. Simultaneous analysis of Cλ gene polymorphisms. *R. C. Williams, Jr., N. J. Marshall, K. Kilpatrick, J. Montano, P. M. Brickell, M. Goodall, P. A. Ealey, B. Shine, A. P. Weetman, and R. K. Craig* 1306

Epidermal growth factor inhibits the hydroosmotic effect of vasopressin in the isolated perfused rabbit cortical collecting tubule. *M. D. Breyer, H. R. Jacobson, and J. A. Breyer* 1313

Tumor necrosis factor and the acute metabolic response to tissue injury in man. *H. F. Starnes, Jr., R. S. Warren, M. Jeevanandam, J. L. Gabrilove, W. Larchian, H. F. Oettgen, and M. F. Brennan* 1321

Adenosine triphosphate depletion induces a rise in cytosolic free calcium in canine renal epithelial cells. *C. E. McCoy, A. M. Selvaggio, E. A. Alexander, and J. H. Schwartz* 1326

Inhibition of the release of arachidonic acid prevents the development of sarcolemmal membrane defects in cultured rat myocardial cells during adenosine triphosphate depletion. *A. Sen, J. C. Miller, R. Reynolds, J. T. Willerson, L. M. Buja, and K. R. Chien* 1333

Haemophilus influenzae lipopolysaccharide-induced blood brain barrier permeability during experimental meningitis in the rat. *B. Wispelwey, A. J. Lesse, E. J. Hansen, and W. M. Scheld* 1339

Evaluation of the antiinflammatory and phospholipase-inhibitory activity of calpactin II/lipocortin I. *J. K. Northup, K. A. Valentine-Braun, L. K. Johnson, D. L. Severson, and M. D. Hollenberg* 1347

Characterization of point mutations in the same arginine codon in three unrelated patients with ornithine transcarbamylase deficiency. *A. Maddalena, J. E. Spence, W. E. O'Brien, and R. L. Nussbaum* 1353

Insulin receptor function in fibroblasts from patients with leprechaunism. Differential alterations in binding, autophosphorylation, kinase activity, and receptor-mediated internalization. *S. S.-K. Reddy, V. Lauris, and C. R. Kahn* 1359

5-(*N,N*-dimethyl)amiloride-sensitive Na-Li exchange in isolated specimens of human atrium. *H. H. Rasmussen, R. D. Harvey, E. J. Cragoe, Jr., and R. E. Ten Eick* . . 1366

Botulinum C2 toxin ADP-ribosylates actin and enhances O_2^- production and secretion but inhibits migration of activated human neutrophils. *J. Norgauer, E. Kownatzki, R. Seifert, and K. Aktories* 1376

Atrial natriuretic factor inhibits vasopressin-stimulated osmotic water permeability in rat inner medullary collecting duct. *H. Nonoguchi, J. M. Sands, and M. A. Knepper* 1383

Structural and kinetic comparison of recombinant human single- and two-chain tissue plasminogen activator. *J. Loscalzo* 1391

Reversibility of defective adipocyte insulin receptor kinase activity in non–insulin-dependent diabetes mellitus. Effect of weight loss. *G. R. Freidenberg, D. Reichart, J. M. Olefsky, and R. R. Henry* 1398

Interaction of atriopeptin III and vasopressin on calcium kinetics and contraction of aortic smooth muscle cells. *H. Meyer-Lehnert, C. Caramelo, P. Tsai, and R. W. Schrier* 1407

Downregulation of interferon α but not γ receptor expression in vivo in the acquired immunodeficiency syndrome. *A. S. Lau, S. E. Read, and B. R. G. Williams* 1415

Relationship of pleural effusions to increased permeability pulmonary edema in anesthetized sheep. *J. P. Wiener-Kronish, V. C. Broaddus, K. H. Albertine, M. A. Gropper, M. A. Matthay, and N. C. Staub* . . . 1422

Interleukin 1-dependent paracrine granulopoiesis in chronic granulocytic leukemia of the juvenile type. *G. C. Bagby, Jr., C. A. Dinarello, R. C. Neerhout, D. Ridgway, and E. McCall* 1430

Inhibitory guanosine triphosphate–binding protein–mediated regulation of vasopressin action in isolated single medullary tubules of mouse kidney. *K. Takaichi and K. Kurokawa* 1437

Chronic metabolic acidosis causes an adaptation in the apical membrane Na/H antiporter and basolateral membrane $Na(HCO_3)_3$ symporter in the rat proximal convoluted tubule. *P. A. Preisig and R. J. Alpern* . . . 1445

Phase I study of granulocyte colony-stimulating factor in patients with transitional cell carcinoma of the urethelium. *J. L Gabrilove, A. Jakubowski, K. Fain, J. Grous, H. Scher, C. Sternberg, A. Yagoda, B. Clarkson, M. A. Bonilla, H. F. Oettgen, K. Alton, T. Boone, B. Altrock, K. Welte, and L. Souza* 1454

Rapid Publications

Differential inhibitory effects of forskolin, isoproterenol, and dibutyryl cyclic adenosine monophosphate on phosphoinositide hydrolysis in canine tracheal smooth muscle. *J. M. Madison and J. K. Brown* 1462

Interleukin 1 promotes tumor cell adhesion to cultured human endothelial cells. *E. Dejana, F. Bertocchi, M. C. Bortolami, A. Regonesi, A. Tonta, F. Breviario, and R. Giavazzi* 1466

Correction of the molecular defect in B lymphocytes from X-linked agammaglobulinemia by cell fusion. *J. Schwaber, N. Koenig, and J. Girard* 1471

October Author Index 1477

Contents

The Journal of Clinical Investigation
November 1988, Volume 82, Number 5

Acylation of monocyte and glomerular mesangial cell proteins. Myristyl acylation of the interleukin 1 precursors. *S. L. Bursten, R. M. Locksley, J. L. Ryan, and D. H. Lovett* 1479

Donor splice site mutation in the apolipoprotein (apo) C-II gene (apo C-$II_{Hamburg}$) of a patient with apo C-II deficiency. *S. S. Fojo, U. Beisiegel, U. Beil, K. Higuchi, M. Bojanovski, R. E. Gregg, H. Greten, and H. B. Brewer, Jr.* 1489

Augmentation of hypoxic pulmonary vasoconstriction in the isolated perfused rat lung by in vitro antagonists of endothelium-dependent relaxation. *V. L. Brashers, M. J. Peach, and C. E. Rose, Jr.* 1495

Impaired insulin-stimulated muscle glycogen synthase activation in vivo in man is related to low fasting glycogen synthase phosphatase activity. *D. Freymond, C. Bogardus, M. Okubo, K. Stone, and D. Mott* 1503

Hemoglobin-mediated oxidant damage to the central nervous system requires endogenous ascorbate. *S. M. H. Sadrzadeh and J. W. Eaton* 1510

Clostridium difficile toxin A perturbs cytoskeletal structure and tight junction permeability of cultured human intestinal epithelial monolayers. *G. Hecht, C. Pothoulakis, J. T. LaMont, and J. L. Madara* 1516

Neutrophil actin dysfunction is a genetic disorder associated with partial impairment of neutrophil actin assembly in three family members. *F. S. Southwick, G. A. Dabiri, and T. P. Stossel* 1525

Assessment of clonality in gastrointestinal cancer by DNA fingerprinting. *M. F. Fey, R. A. Wells, J. S. Wainscoat, and S. L. Thein* 1532

Pancreatic noradrenergic nerves are activated by neuroglucopenia but not by hypotension or hypoxia in the dog. Evidence for stress-specific and regionally selective activation of the sympathetic nervous system. *P. J. Havel, R. C. Veith, B. E. Dunning, and G. J. Taborsky, Jr.* 1538

Demonstration of the production and physiological role of insulin-like growth factor II in rat thyroid follicular cells in culture. *R. M. B. Maciel, A. C. Moses, G. Villone, D. Tramontano, and S. H. Ingbar* 1546

Modulation of the human monocyte binding site for monomeric immunoglobulin G by activated Hageman factor. *P. Chien, R. A. Pixley, L. G. Stumpo, R. W. Colman, and A. D. Schreiber* 1554

A malarial cysteine proteinase is necessary for hemoglobin degradation by *Plasmodium falciparum*. *P. J. Rosenthal, J. H. McKerrow, M. Aikawa, H. Nagasawa, and J. H. Leech* 1560

Binding of straight-chain saturated dicarboxylic acids to albumin. *J. H. Tonsgard, S. A. Mendelson, and S. C. Meredith* 1567

Potentiation of pentazocine analgesia by low-dose naloxone. *J. D. Levine, N. C. Gordon, Y. O. Taiwo, and T. J. Coderre* 1574

Differential effect of DPI 201-106 on the sensitivity of the myofilaments to Ca^{2+} in intact and skinned trabeculae from control and myopathic human hearts. *R. J. Hajjar, J. K. Gwathmey, G. M. Briggs, and J. P. Morgan* . . . 1578

Mechanism of hypercalciuria in genetic hypercalciuric rats. Inherited defect in intestinal calcium transport. *D. A. Bushinsky and M. J. Favus* 1585

Role of intracellular sodium in the regulation of intracellular calcium and contractility. Effects of DPI 201-106 on excitation-contraction coupling in human ventricular myocardium. *J. K. Gwathmey, M. T. Slawsky, G. M. Briggs, and J. P. Morgan* 1592

Regulation of leucine catabolism by caloric sources. Role of glucose and lipid in nitrogen sparing during nitrogen deprivation. *J. A. Vazquez, H. S. Paul, and S. A. Adibi* 1606

"Intact nephrons" as the primary origin of proteinuria in chronic renal disease. Study in the rat model of subtotal nephrectomy. *T. Yoshioka, H. Shiraga, Y. Yoshida, A. Fogo, A. D. Glick, W. M. Deen, J. R. Hoyer, and I. Ichikawa* 1614

Effect of selective aldosterone deficiency on acidification in nephron segments of the rat inner medulla. *T. D. DuBose, Jr. and C. R. Caflisch* 1624

Distinct murine macrophage receptor pathway for human triglyceride-rich lipoproteins. *S. H. Gianturco, A. H.-Y. Lin, S.-L. C. Hwang, J. Young, S. A. Brown, D. P. Via, and W. A. Bradley* 1633

Repair of protease-damaged elastin in neonatal rat aortic smooth muscle cell cultures. *P. J. Stone, S. M. Morris, B. M. Martin, M. P. McMahon, B. Faris, and C. Franzblau* 1644

Murine glomerular leukotriene B_4 synthesis. Manipulation by (n-6) fatty acid deprivation and cellular origin. *J. B. Lefkowith, A. R. Morrison, and G. F. Schreiner* 1655

Depression of systolic and diastolic myocardial reserve during atrial pacing tachycardia in patients with dilated cardiomyopathy. *M. D. Feldman, J. D. Alderman, J. M. Aroesty, H. D. Royal, J. J. Ferguson, R. M. Owen, W. Grossman, and R. G. McKay* 1661

Human serum amyloid A. Three hepatic mRNAs and the corresponding proteins in one person. *B. Kluve-Beckerman, F. E. Dwulet, and M. D. Benson* 1670

Local extrahepatic expression of complement genes C3, factor B, C2, and C4 is increased in murine lupus nephritis. *J. Passwell, G. F. Schreiner, M. Nonaka, H. U. Beuscher, and H. R. Colten* 1676

Alveolar macrophages release an insulin-like growth factor I–type molecule. *W. N. Rom, P. Basset, G. A. Fells, T. Nukiwa, B. C. Trapnell, and R. G. Crystal* . . 1685

Metabolic and functional consequences of inhibiting adenosine deaminase during renal ischemia in rats. *M. E. Stromski, A. van Waarde, M. J. Avison, G. Thulin, K. M. Gaudio, M. Kashgarian, R. G. Shulman, and N. J. Siegel* 1694

Human tissue-type plasminogen activator releases fibrinopeptides A and B from fibrinogen. *J. I. Weitz, M. K. Cruickshank, B. Thong, B. Leslie, M. N. Levine, J. Ginsberg, and T. Eckhardt* 1700

Prostaglandin endoperoxides modulate the response to thromboxane synthase inhibition during coronary thrombosis. *D. J. Fitzgerald, J. Fragetta, and G. A. FitzGerald* 1708

Bacterial lipopolysaccharide-induced intestinal microvascular lesions leading to acute diarrhea. *V. I. Mathan, G. R. Penny, M. M. Mathan, and D. Rowley* 1714

Amplification of altered self-reactive cytolytic T lymphocyte responses by cloned, allospecific human T_h cells. *S. M. Friedman, A. Green, C. Russo, D. N. Posnett, D. Diffley, and M. K. Crow* 1722

Dendritic cell-lymphocyte clusters that form spontaneously in rheumatoid arthritis synovial effusions differ from clusters formed in human mixed leukocyte reactions. *V. Tsai and N. J. Zvaifler* 1731

Recognition of an endothelial determinant for CD18-dependent human neutrophil adherence and transendothelial migration. *C. W. Smith, R. Rothlein, B. J. Hughes, M. M. Mariscalco, H. E. Rudloff, F. C. Schmalstieg, and D. C. Anderson* 1746

Mechanisms underlying transtition from acute glomerular injury to late glomerular sclerosis in a rat model of nephrotic syndrome. *S. Anderson, J. R. Diamond, M. J. Karnovsky, and B. M. Brenner* 1757

Endothelial cell-mediated conversion of Glu-plasminogen to Lys-plasminogen. Further evidence for assembly of the fibrinolytic system on the endothelial cell surface. *K. A. Hajjar and R. L. Nachman* 1769

Synergistic regulation of human megakaryocyte development. *M. W. Long, R. J. Hutchinson, L. L. Gragowski, C. H. Heffner, and S. G. Emerson* 1779

Interleukin 1 binds to specific receptors on human keratinocytes and induces granulocyte macrophage colony-stimulating factor mRNA and protein. A potential autocrine role for interleukin 1 in epidermis. *T. S. Kupper, F. Lee, N. Birchall, S. Clark, and S. Dower* 1787

Regulation of lipolysis during the neonatal period. Importance of thyrotropin. *C. Marcus, H. Ehrén, P. Bolme, and P. Arner* 1793

Rapid Publications

Antibodies to parathyroid hormone-related protein lower serum calcium in athymic mouse models of malignancy-associated hypercalcemia due to human tumors. *S. C. Kukreja, D. H. Shevrin, S. A. Wimbiscus, P. R. Ebeling, J. A. Danks, C. P. Rodda, W. I. Wood, and T. J. Martin* 1798

Genetic evidence from two families that the apolipoprotein B gene is not involved in abetalipoproteinemia. *P. J. Talmud, J. K. Lloyd, D. P. R. Muller, D. R. Collins, J. Scott, and S. Humphries* . . . 1803

November Author Index 1807

Correction 1809

Contents

The Journal of Clinical Investigation
December 1988, Volume 82, Number 6

Perspectives

Structural basis of antigen recognition by T lymphocytes. Implications for vaccines. *J. A. Berzofsky* 1811

Regular Articles

Regulation of biliary cholesterol secretion. Functional relationship between the canalicular and sinusoidal cholesterol secretory pathways in the rat. *F. Nervi, I. Marinović, A. Rigotti, and N. Ulloa* 1818

Anticonvulsant hypersensitivity syndrome. In vitro assessment of risk. *N. H. Shear and S. P. Spielberg* . . 1826

Competitive inhibition of bile acid synthesis by endogenous cholestanol and sitosterol in sitosterolemia with xanthomatosis. Effect on cholesterol 7α-hydroxylase. *S. Shefer, G. Salen, L. Nguyen, A. K. Batta, V. Packin, G. S. Tint, and S. Hauser* 1833

Hypoxia-induced increases in pulmonary transvascular protein escape in rats. Modulation by glucocorticoids. *T. J. Stelzner, R. F. O'Brien, K. Sato, and J. V. Weil* 1840

Possible role of cytosolic free calcium concentrations in mediating insulin resistance of obesity and hyperinsulinemia. *B. Draznin, K. E. Sussman, R. H. Eckel, M. Kao, T. Yost, and N. A. Sherman* 1848

Monocyte migration into the subendothelial space of a coculture of adult human aortic endothelial and smooth muscle cells. *M. Navab, G. P. Hough, L. W. Stevenson, D. C. Drinkwater, H. Laks, and A. M. Fogelman* . . . 1853

Isolation of complementary DNA for bullous pemphigoid antigen by use of patients' autoantibodies. *J. R. Stanley, T. Tanaka, S. Mueller, V. Klaus-Kovtun, and D. Roop* 1864

Growth hormone enhances hepatic epidermal growth factor receptor concentration in mice. *J.-O. Jansson, S. Ekberg, S. B. Hoath, W. G. Beamer, and L. A. Frohman* 1871

Influence of natural and recombinant interleukin 2 on endothelial cell arachidonate metabolism. Induction of de novo synthesis of prostaglandin H synthase. *K. Frasier-Scott, H. Hatzakis, D. Seong, C. M. Jones, and K. K. Wu* 1877

Dietary polyunsaturated fats of the w-6 and w-3 series reduce postprandial lipoprotein levels. Chronic and acute effects of fat saturation on postprandial lipoprotein metabolism. *M. S. Weintraub, R. Zechner, A. Brown, S. Eisenberg, and J. L. Breslow* 1884

In vitro proliferative responses and antibody titers specific to human acetylcholine receptor synthetic peptides in patients with myasthenia gravis and relation to HLA class II genes. *S. Brocke, C. Brautbar, L. Steinman, O. Abramsky, J. Rothbard, D. Neumann, S. Fuchs, and E. Mozes* 1894

Oligonucleotide linked to human gammaglobulin specifically diminishes anti–DNA antibody formation in cultured lymphoid cells from patients with systemic lupus erythematosus. *Y. Borel and H. Borel* 1901

Immunological abnormalities in human immunodeficiency virus (HIV)–infected asymptomatic homosexual men. HIV affects the immune system before $CD4^+$ T helper cell depletion occurs. *F. Miedema, A. J. C. Petit, F. G. Terpstra, J. K. M. E. Schattenkerk, F. de Wolf, B. J. M. Al, M. Roos, J. M. A. Lange, S. A. Danner, J. Goudsmit, and P. Th. A. Schellekens* . . . 1908

L-428 nodular sclerosing Hodgkin's cell secretes a unique transforming growth factor-beta active at physiologic pH. *S. R. Newcom, M. E. Kadin, A. A. Ansari, and V. Diehl* 1915

In vivo desensitization of glycogenolysis to Ca^{2+}-mobilizing hormones in rat liver cells. *G. Tsujimoto, A. Tsujimoto, K. Kato, and K. Hashimoto* 1922

Interleukin 1 administration in mice produces hypoferremia despite neutropenia. *V. R. Gordeuk, P. Prithviraj, T. Dolinar, and G. M. Brittenham* 1934

Complement fixation by pemphigus antibody. V. Assembly of the membrane attack complex on cultured human keratinocytes. *P. Xia, R. E. Jordon, and W. D. Geoghegan* 1939

Binding of Lys-plasminogen to monocytes/macrophages. *R. L. Silverstein, R. J. Friedlander, Jr., R. L. Nicholas, and R. L. Nachman* 1948

Characterization of the intrinsic fibrinolytic properties of pro-urokinase through a study of plasmin-resistant mutant forms produced by site-specific mutagenesis of lysine[158]. *V. Gurewich, R. Pannell, R. J. Broeze, and J. Mao* 1956

Proteinase 3. A distinct human polymorphonuclear leukocyte proteinase that produces emphysema in hamsters. *R. C. Kao, N. G. Wehner, K. M. Skubitz, B. H. Gray, and J. R. Hoidal* 1963

T cell receptor δ gene rearrangements in acute lymphoblastic leukemia. *J. Hara, S. H. Benedict, E. Champagne, Y. Takihara, T. W. Mak, M. Minden, and E. W. Gelfand* 1974

Characterization of serum platelet-activating factor (PAF) acetylhydrolase. Correlation between deficiency of serum PAF acetylhydrolase and respiratory symptoms in asthmatic children. *M. Miwa, T. Miyake, T. Yamanaka, J. Sugatani, Y. Suzuki, S. Sakata, Y. Araki, and M. Matsumoto* 1983

Urokinase-dependent adhesion loss and shape change after cyclic adenosine monophosphate elevation in cultured rat mesangial cells. *W. F. Glass II, R. A. Radnik, J. A. Garoni, and J. I. Kreisberg* 1992

Uptake of fatty acids by jejunal mucosal cells is mediated by a fatty acid binding membrane protein. *W. Stremmel* 2001

Protease inhibitors suppress the in vitro and in vivo replication of rotavirus. *S. L. Vonderfecht, R. L. Miskuff, S.-B. Wee, S. Sato, R. R. Tidwell, J. D. Geratz, and R. H. Yolken* 2011

Myocardial substrate utilization during exercise in humans. Dual carbon-labeled carbohydrate isotope experiments. *E. W. Gertz, I. A. Wisneski, W. C. Stanley, and R. A. Neese* 2017

Interleukin 1 suppresses expression of cartilage-specific types II and IX collagens and increases types I and II collagens in human chondrocytes. *M. B. Goldring, J. Birkhead, L. J. Sandell, T. Kimura, and S. M. Krane* 2026

In vivo regulation of β-adrenergic receptors on mononuclear leukocytes and heart. Assessment of receptor compartmentation after agonist infusion and acute aortic constriction in guinea pigs. *A. S. Maisel, M. G. Ziegler, S. Carter, P. A. Insel, and H. J. Motulsky* 2038

Hydrogen peroxide stimulates the synthesis of platelet-activating factor by endothelium and induces endothelial cell-dependent neutrophil adhesion. *M. S. Lewis, R. E. Whatley, P. Cain, T. M. McIntyre, S. M. Prescott, and G. A. Zimmerman* 2045

Identification of a histamine release inhibitory factor produced by human mononuclear cells in vitro. *R. Alam, J. A. Grant, and M. A. Lett-Brown* 2056

Neutral endopeptidase inhibitors potentiate substance P- and capsaicin-induced cough in awake guinea pigs. *H. Kohrogi, P. D. Graf, K. Sekizawa, D. B. Borson, and J. A. Nadel* 2063

Determinants of hepatic function in liver cirrhosis in the rat. Multivariate analysis. *J. Reichen, B. Egger, N. Ohara, T. B. Zeltner, T. Zysset, and A. Zimmermann* 2069

Sterol synthesis and low density lipoprotein clearance in vivo in the pregnant rat, placenta, and fetus. Sources for tissue cholesterol during fetal development. *W. M. Belknap and J. M. Dietschy* 2077

Differential nephrotoxicity of low molecular weight proteins including Bence Jones proteins in the perfused rat nephron in vivo. *P. W. Sanders, G. A. Herrera, A. Chen, B. B. Booker, and J. H. Galla* 2086

Release of interleukin 1 inhibitory activity (contra-IL-1) by human monocyte-derived macrophages infected with human immunodeficiency virus in vitro and in vivo. *R. M. Locksley, S. Crowe, M. D. Sadick, F. P. Heinzel, K. D. Gardner, Jr., M. S. McGrath, and J. Mills* . . . 2097

Metabolism of apolipoprotein B-100 in large very low density lipoproteins of blood plasma. Kinetic studies in normal and Watanabe heritable hyperlipidemic rabbits. *N. Yamada, D. M. Shames, K. Takahashi, and R. J. Havel* 2106

Localization of a proton-pumping ATPase in rat kidney. *D. Brown, S. Hirsch, and S. Gluck* 2114

Antiadrenergic effects of adenosine on His-Purkinje automaticity. Evidence for accentuated antagonism. *B. B. Lerman, R. C. Wesley, Jr., J. P. DiMarco, D. E. Haines, and L. Belardinelli* 2127

Elevated glucose alters eicosanoid release from porcine aortic endothelial cells. *M. L. Brown, J. A. Jakubowski, L. L. Leventis, and D. Deykin* 2136

Inhibition of the anticoagulant activity of protein S by prothrombin. *C. A. Mitchell, S. M. Jane, and H. H. Salem* 2142

Δ^4-3-Oxosteroid 5β-reductase deficiency described in identical twins with neonatal hepatitis. A new inborn error in bile acid synthesis. *K. D. R. Setchell, F. J. Suchy, M. B. Welsh, L. Zimmer-Nechemias, J. Heubi, and W. F. Balistreri* 2148

Membrane distribution of sodium–hydrogen and chloride–bicarbonate exchangers in crypt and villus cell membranes from rabbit ileum. *R. G. Knickelbein, P. S. Aronson, and J. W. Dobbins* 2158

Rapid Publications

Hypoxanthine-guanine phosphoribosyltransferase. Genetic evidence for identical mutations in two partially deficient subjects. *B. L. Davidson, S.-J. Chin, J. M. Wilson, W. N. Kelley, and T. D. Palella* 2164

Noncoordinate regulation of cardiac G_s protein and β-adrenergic receptors by a physiological stimulus, chronic dynamic exercise. *H. K. Hammond, L. A. Ransnas, and P. A. Insel* 2168

Identification of human immunodeficiency virus (HIV) envelope type-specific T helper cells in an HIV-infected individual. *C. M. Walker, K. S. Steimer, K. L. Rosenthal, and J. A. Levy* 2172

Effect of recombinant soluble CD4 on human peripheral blood lymphocyte responses in vitro. *M. A. Liu and T. Liu* 2176

December Author Index 2181

Correction 2183

Correction 2185

Author Index to Volume 82 2187